

AGENDA
CITY OF CENTRALIA, MISSOURI
Public Works and Public Utilities Committee

Monday, April 1, 2013
7:00 p.m.
City Hall Council Chambers

- I. ROLL CALL
- II. PLEDGE OF ALLEGIANCE
- III. COMMENTS FROM CITIZENS
- IV. ELECTRIC DEPARTMENT
 - A. Activity Report
 - B. Primary Meters
 - C. Other
- V. PUBLIC WORKS
 - A. Activity Report
 - B. Streets
 - 1. Culvert Pipe
 - C. Sanitation
 - D. Stormsewer
 - E. Other
- VI. WATER AND SEWER DEPARTMENT
 - A. Activity Report
 - B. Trailer Bids
 - C. Replacement Door Bids
 - D. Chlorine Supply
 - D. Other
- VII. AS MAY ARISE
- VIII. ADJOURN

**ELECTRIC DEPT.
MARCH 2013 ACTIVITY REPORT**

1. Repaired streetlights: Jefferson/Poage
2. Repaired security lights: CHS Parking Lot
3. Removed limbs from service drops – 714 Green St, 132 Adams St, 224 W Sims St
4. Straightened pole – 319 W Barnes
5. Snow Removal – sidewalk along COLT tracks from Singleton to Lakeview
6. Cleared and hauled snow around electric barn
7. Inventory –count
8. 523 S. Central – checked broken limb in backyard, is over service drop but cannot reach, resident will need to get tree trimmer to coordinate with City to drop service while others trim
9. 637 N. Howard Burton Drive – reconnected after electrician repaired service damaged by snow/ice falling from roof
10. Hauled snow for street department
11. 420B W. Hwy. 22 – Installed recorder (Liquor & Smoke Shop)
12. Hauled snow around shop
13. Removed limb off of primary between Ivy/Hawthorn
14. Cobblestone Lake Estates – removed snow to access work sites
15. 850 Tidball – removed small tree, adjusted pike poles to brace broken pole in backyard
16. 320 N. Country Club Drive - Installed recorder (Forrest)
17. 118 E. Railroad – trimmed limb and reinstalled house knob insulator
18. Took electronic items to Mid Mo Recycling in Columbia
19. Callout – 5 am, limb on primary, knocked phase down behind 230 S. Rollins in alley, cleared phase, re-energized line, will splice at later date, also limb on primary behind Meadowlark, cleared phase, re-energized line, will splice at later date. Wilson Street Substation LTC was stuck, switched load to Burkhardt Substation until LTC can be checked out.
20. Strung one span of new phase at alley between Sappington/Meadowlark Lane, spliced to complete repair
21. Troubleshoot Wilson St LTC with BHMGM, problem in LTC cabinet
22. Replaced two street light poles, Barr/Bruton, Columbia/Southgate, strung duplex to feed lights, installed arm and light
23. 324 W Alco, removed limb from service drop
24. 616 S. Rollins – raised service drop
25. BHMGM here and found relay problem in Wilson St LTC, cleared for now, will order new part
26. Pulled three poles, filled holes with dirt
27. Spliced one span of primary in alley behind 230 S. Rollins to complete repair
28. 901 Hampton – connected temporary service
29. 509 Adams – connected temporary service
30. 919 Mystic – connected temporary service
31. Pole 6091 – 619 S Green Street, Set new pole, started transfer of lines
32. 220 S Adams – removed limbs from tree for removal
33. Switzler/Pratt – started removing two trees
34. Lakeview/Ivy – removed tree/brush at end of Ivy
35. Lakeview/Allen – tightened street light pole to anchor base
36. Pole 6691 – 850 Tidball, Set new pole, framed, transferred primary lines, finished transfer of secondary wires, service drops, cut pole down to CATV height
37. Chipped brush around town
38. 1214/1216 Remington – pulled wire, connected new UG service
39. GIS kickoff meeting
40. 614 Ivy Lane – pulled meter for electrician, reconnected after green tag
41. Miles/Leabrook trench area – re-seeded entire area
42. Covered up lines @ Hubbell/Chance Plastics for crane work



Power Solutions, LLC
11163B South Towne Square
St. Louis, Missouri 63123
Phone: (314) 416-4244
Fax: (314) 416-4255
pwr.solutions@sbcglobal.net

March 7, 2013

From: David Boyer, Power Solutions, LLC

To: Mark Mustain, City of Centralia, Missouri, Electric Dept.

RE: Padmount Primary Metering Cabinet Pricing

Mark,

Please see the pricing below for the primary metering cabinet that we recently discussed. If you have any questions or need further information please let me know:

QTY: 1

Catalog Number: PRI-PAD 3 PHASE-PW

Description: Padmount primary metering cabinet prewired, 4WYE 5/15 KV w/ 25/5 CT, 20/1 PT, CT cabinet, 13Terminal meter base

Price: \$13,565.00 each

Lead time: 11 to 14 weeks

Freight: Prepaid and added.

Quote valid for 60 days

Terms: Net 30 days

Sincerely,

David Boyer
Power Solutions, LLC



Date: March 8, 2013

From: Kelly Draheim, The Durham Company

To: Mark Mustain

SUBJECT: City Of Centralia, Missouri

Please see the pricing below for a primary metering cabinet.

Qty: 1

Catalog Number: PRI-PAD 3 PHASE-PW

**Description: Padmount primary metering cabinet prewired, 4WYE 5/15 KV
w/ 25/5 CT, 20/1 PT, CT Cabinet, 13 Terminal Meter Base**

Price: \$13,425.00

Lead Time: 11 to 14 weeks

Quote valid for 60 days

Terms: Net 30 days



2208 S. 14th Street
Mattoon, IL 61938

Phone: 217.235.0546
Fax: 217.258.6630

www.hdsupplypowersolutions.com

Quotation: U00324306.01

To: **CENTRALIA POWER & LIGHT DEPT.**
114 SOUTH ROLLINS STREET
CENTRALIA, MO 65240

Issued Date: **Mar 27, 2013**
Expiration Date: **Apr 26, 2013**

Attn:
Phone:
Fax: **5736822493**

Sales Contact: **Philip Colgrove**
(P) 217.258.0922
(F) 217.235.0024
philip.colgrove@hdsupply.com

| Item | CustLine | Product and Description | Quantity | Price | Unit | Extended |
|------|----------|--|----------|------------|------|-----------|
| 1 | | BOM PRI3PHPADR PRIMARY PADMOUNTED 3 ELE 4WYE 5/15 KV MSC RAD FD consists of 25/5 CT, 20/1 PT, ct cabinet, 13t meter base prewired DEL: 6 weeks | 1 | 12,920.000 | EA | 12,920.00 |

SECTION TOTAL: \$12,920.00

QUOTE TOTAL: \$12,920.00

Special Notes

- 1) All items are In Stock unless otherwise noted.
- 2) All item pricing on this quote is valid for thirty days unless otherwise specified.
- 3) All applicable taxes apply.

HD Supply Power Solutions offers the industry's most extensive and dynamic portfolio of products, services and solutions for the Public Power, Investor-owned Utilities, Construction and Industrial markets.

STREET and SANITATION DEPARTMENT

Activity Report for March 2013

- Daily trash routes
- Weekly cardboard, and bi-weekly curbside recycling routes
- Spent 8 days this month plowing, spreading material, and hauling off snow piles
- Repaired broken wheels on a couple dumpsters
- Assembled and delivered 5 trash cart to city resident
- Hauled off 3 load of recycling to Civic Recycling in Columbia
- Re-installed mud flap on one of the dump trucks
- Made some repairs to all 3 snowplows
- Repaired broken chains
- Repaired broken muffler pipe on the backhoe
- Went and got load of cold mix and started patching potholes
- Painted sign brackets for light poles
- Pushed brush pit at the landfill
- Cleaned up the shop
- Worked on drainage around town
- Took tire chains off of the grader, and got the gear unstuck so blade would turn and can get repaired
- Added some rock and smoothed up several alleys
- Cleaned snow off of the parking lots at the city park for baseball season
- Hauled off 3 loads of plastic to Ryan Ent. in Millersburg
- Piled brush at the drop off site several times this month
- Spent a several days hauling off brush at the drop off site to the landfill brush pit
- Took out the loaner dumpsters several times this month
- Spent 3 days tearing down the old house on Howard Burton that was owned by the Park Dept. and loading up 8 roll-off dumpsters with debris, and cleaning up the area
- Took dump truck #77 to Meyers Truck Service in Mexico for a recall

- Hooked up snowplows, loaded spreaders and made sure all equipment was ready to go in case of snow
- Emptied both spreaders, washed trucks and spreaders, and sprayed both conveyor chains (twice this month)
- Piled up salt and sand piles
- Checked curbs and streets for repairs after all the snowplowing
- Removed snowplow, spreader, and put tailgate back on one of the dump trucks
- Did maintenance and some repairs on the dump trucks
- Sign work:
 - Made signs
 - Made sign bases
 - Moved 10 signs to street light poles and pulled posts
 - r/r a do not enter sign
 - r/r a 2 hr parking sign
 - straightened several signs
 - put up a no skateboarding sign
 - put up stop sign at Jefferson and Railroad that was run over
 - put up a speed limit sign on s. Columbia, and on w. Lakeview that wind broke off

BIDS FOR STORMSEWER PIPE FOR
SWITZLER STREET

| <u>MATERIAL</u> | <u>WATER & SEWER</u> | <u>HD SUPPLY</u> |
|------------------|--------------------------|------------------|
| 40' of 12" pipe | \$210.00 | \$216.00 |
| 160' of 15" pipe | \$1000.00 | \$1160.00 |
| 20' of 24" pipe | \$270.00 | \$313.00 |
| 12" elbow (2) | \$136.00 | \$173.40 |
| <hr/> | | |
| TOTALS: | \$1616.00 | \$1862.40 |

**ACTIVITY REPORT
WATER DEPARTMENT
MARCH 2013**

- Removed fire hydrant on Chris Court that was hit by plow truck to be replaced at later date
- Replaced broken manhole frame and lid in alley behind Ritchie's
- Raised 14 manhole lids to grade
- Ran sewer machine down three sewers to check for covered manholes
- Made two water taps at 1214, 1216 Remington
- Assisted street department with removing snow 8 days (2 people)
- Repaired leak on 4" main feeding the High School
- Checked and identified leak at Country Club and notified member
- Lowered valve box at Burnett / S. Allen that was being hit by grader
- Called in to 537 S. Rollins to shut off water due to leak
- Called in to shut off water at 804 S. Allen
- Checked for leak at 915 S. Jefferson at residents request and found leak on their side – notified
- Pulled lift station pump at Fountain Road - twice
- Meeting with Midland GIS on upcoming project
- Completed pumping to Benoit's and Sims for spring
- Mike 3 days Missouri Rural Water Conference
- Mike school in Macon to complete certification hours
- Flushed Hampton Drive water main daily to clear from construction
- Had 4" diesel pump repaired by Jeff Maenner
- Raised water meter jar at 915 Hampton to grade
- Raised water meter at latest construction site on Mystic Drive
- Replaced broken meter jar lid at 831 S. Central
- Assisted resident shut off water 1026 E. Lakeview
- Assisted resident at 712 look for leak - no leak found
- Checked sewer main at 107 Sunset - ok
- Put disconnect notices on doors for cold weather rule
- Pulled meter at 704 S. Allen due to fire
- Read utility meters for office

Water Department

March 26, 2013

FLATBED TRAILER BIDS

18' x 82" Flatbed Trailer, 2 5/16" coupler, jack, lights, 1 brake, 5" channel frame

Herndon Welding (trailer minus tires) = \$ 2,100.00

D & D Tire 615.00

Hughes Bros. Sales = \$ 3,195.00

Maxwell Trailers Pick up Accessories = \$ 2,600.00

Quotes on Doors at Water Plant

- 1- single opening metal door, flush hollow welded frame, masonry anchors with grout holes, hardware = \$ 955.00
- 2- Flush slab metal doors to match existing frames, glass vision lite ¼ opening, hardware = \$ 821.31 ea. / \$ 1642.62

La Crosse Lumber Total on Material = \$ 2597.62

5 Oaks Associates :

- Labor to install the one single door at the blowdown room
= \$ 1060.00
- (Option)Labor to install the two slab doors and attach the
hardware = \$ 870.00

Total for all above minus the option from 5 Oaks is = \$
3657.62

CHLORINE BIDS

Bids for chlorine 150 lb. cylinders :

Brenntag - \$. 44 / lb.

DPC Incorporated - \$. 54 / lb.